



## MATERIAL SAFETY DATA SHEET

### TRIM-TEX 848 CLEANER

#### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

<b>Product Name</b>	Trim-Tex 848 Cleaner
<b>Product Code</b>	-
<b>Other Names</b>	-
<b>Product Use</b>	Cleaner
<b>Supplier Name</b>	Wallboard Tool Co. Pty Ltd
<b>Address</b>	30 Leda Drive Burleigh QLD 4220
<b>Telephone Number</b>	07 5535 7655 1300 653 177
<b>Emergency Telephone</b>	13 11 26

#### 2. HAZARDS IDENTIFICATION

##### HAZARDOUS SUBSTANCE. DANGEROUS GOODS.

Classified as hazardous according to the criteria of Safe Work Australia.

<b>Hazards</b>	F+ - Extremely Flammable Xn - Irritant
<b>Risk Phrases</b>	R12 - Extremely flammable. R43 - May cause sensitisation by skin contact. R50 - Very toxic to aquatic organisms. R53 - May cause long-term adverse effects in the aquatic environment.
<b>Safety Phrases</b>	S2 - Keep out of reach of children. S9 - Keep container in a well-ventilated place. S16 - Keep away from sources of ignition - No smoking. S24 - Avoid contact with skin. S37 - Wear suitable gloves. S60 - This material and its container must be disposed of as hazardous waste. S61 - Avoid release to the environment. Refer to special instructions/Material Safety Data Sheets.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

<b>Ingredient (common name)</b>	<b>CAS Number</b>	<b>Proportion by weight</b>
C12-C14 Isoalkanes	68551-19-9	<55%
4-Isopropenyl, 1-methylcyclohexene	5989-27-5	<35%
Propane	74-98-6	<20%



## MATERIAL SAFETY DATA SHEET

### 4. FIRST AID MEASURES

<b>Inhalation</b>	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Give two glasses of water if conscious. Seek immediate medical attention.
<b>Skin</b>	Remove contaminated clothing and wash affected areas with soap and water. Seek medical attention if symptoms persist. Launder contaminated clothing before re-use.
<b>Eyes</b>	In case of eye contact immediately irrigate eyes with plenty of running water for at least 15 minutes keeping eyelids open. Seek medical attention.

### 5. FIRE FIGHTING MEASURES

<b>Suitable Extinguishing Media</b>	For major fires call the Fire Brigade. Ensure that an escape path is available from any fire. CO <sub>2</sub> , dry chemical, foam and water fog.
<b>Hazardous Combustion Products</b>	Carbon monoxide, carbon dioxide, ammonia, sulphur dioxide, hydrogen sulfides, nitrogen oxide, nitrogen peroxide.
<b>Firefighting Equipment</b>	Wear ASCC approved self-contained breathing apparatus and full protective clothing.
<b>Unusual Fire or Explosion Hazards</b>	Vapours are heavier than air and travel along the ground or may be moved by ventilation and ignited by ignition sources at locations distant from material handling point. For aerosol products – exposure to temperatures over 54°C may cause containers to burst releasing high flammable gas. Keep fire exposed containers cool using water fog.
<b>Hazchem Code</b>	Not applicable.

### 6. ACCIDENTAL RELEASE MEASURES

<b>Spills</b>	Restrict access until clean-up operation is complete. Wear full protective clothing. Eliminate all sources of ignition. Increase ventilation. Avoid inhalation of vapours and skin contact with liquid. Stop leak if possible. Absorb spill with absorbent material and place in suitable, labeled container for disposal. Use non sparking scoops for flammable material. Clean surface thoroughly to reduce slipping hazard.
---------------	--

### 7. HANDLING AND STORAGE

<b>Handling</b>	Use of safe work practices are recommended to avoid eye or skin
-----------------	---



## MATERIAL SAFETY DATA SHEET

### Storage

contact and inhalation. Observe good personal hygiene, including washing hands before eating.

Store in a cool, dry, well-ventilated area away from direct sunlight. Do not store above 50°C. Keep away from heat sources, open flame, pilot lights, sparks and other sources of ignition.

Empty containers still retain product residues (vapour or liquid). Do not flame cut, braze or use welding torch on containers.

Do not puncture, incinerate or place aerosol product containers in compactors.

Intentional misuse by deliberately inhaling the vapours from this product may be harmful or fatal.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Standards (Safe Work Australia) Engineering Controls

No exposure standards set.

### Respiratory Protection

Local exhaust ventilation is recommended when dusts can be released in excess of established airborne exposure limits.

Use an ASCC approved respirator if the ventilation is not sufficient. See Australian Standards AS/NZS 1715 and 1716 for more information.

### Eye Protection

Safety glasses.

### Skin Protection

Impervious gloves and protective clothing.

### Hygienic Practices

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Launder contaminated clothing before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Pale yellow liquid
Odour	Orange terpene odour
Solubility in Water	Dilutable
Boiling Point / Range	-42°C to 244°C
Freezing Point / Range	No information available
Vapour Density	Heavier than air
Evaporation Rate	Faster than Butyl acetate
Specific Gravity (Water=1)	0.7372
Flash Point	-104°C
Flammable Limits LEL (Lower Explosive Limits)	0.7%
Flammable Limits UEL (Upper Explosive Limits)	9.5%
Autoignition Temperature	No information available



## MATERIAL SAFETY DATA SHEET

### 10. STABILITY AND REACTIVITY

<b>Chemical Stability</b>	This product is stable under normal storage conditions.
<b>Incompatible Materials</b>	Strong oxidizers, acids, strong alkalis, caustics.
<b>Hazardous Decomposition Products</b>	Carbon monoxide, carbon dioxide, ammonia, sulphur dioxide, hydrogen sulfides, nitrogen oxide, nitrogen peroxide.
<b>Hazardous Polymerization Conditions to Avoid</b>	Will not occur. Heat, sparks, welding arcs, open flame, pilot lights, static electricity or other sources of ignition.

### 11. TOXICOLOGICAL INFORMATION

<b>Toxicity</b>	<b>4-Isopropenyl, 1-methylcyclohexene:</b> Oral LD <sub>50</sub> (rat) = 4400 mg/kg Oral LD <sub>50</sub> (mouse) = 5600 mg/kg Intraperitoneal LD <sub>50</sub> (rat) = 3600 mg/kg Intraperitoneal LD <sub>50</sub> (mouse) = 600 mg/kg Dermal LD <sub>50</sub> (rabbit) > 5000 mg/kg Harmful if swallowed. May act as a sensitizer by skin contact.
<b>Routes of Exposure</b>	Inhalation, ingestion, eye and skin
<b>Acute Health Effects</b>	Inhalation: Excessive inhalation of vapours can cause nasal and respiratory irritation, dizziness, weakness, fatigue, nausea, headache, possible unconsciousness and even asphyxiation. Ingestion: Harmful by ingestion. Eye: Can cause severe irritation, redness, tearing and blurred vision. Skin: Can cause irritation.
<b>Chronic Health Effects</b>	Prolonged or repeated skin contact may cause skin dryness or cracking, defatting and dermatitis.
<b>Existing Conditions Aggravated by Exposure</b>	No information available.
<b>Carcinogenicity</b>	No information available.

### 12. ECOLOGICAL INFORMATION

<b>Ecotoxicity</b>	No information available.
<b>Mobility</b>	No information available.

### 13. DISPOSAL CONSIDERATIONS

<b>Disposal methods and containers</b>	Dispose according to applicable local and state government regulations. Do not puncture, incinerate or place aerosol product containers in compactors.
--	---



## MATERIAL SAFETY DATA SHEET

**Special precautions for landfill or incineration** Please consult your state Land Waste Management Authority for more information

### 14. TRANSPORT INFORMATION

Classified as a dangerous good according to the Australian Code for the Transport of Dangerous goods by road or rail.

**UN Number** 1950  
**Proper Shipping Name** AEROSOLS  
**Dangerous Goods Class** 2.1  
**Hazchem Code** Not applicable  
**Packing Group** Not applicable  
**Special Precautions** Not applicable

### 15. REGULATORY INFORMATION

C12-C14 isoalkanes, 4-isopropenyl, 1-methylcyclohexene and propane are listed in the Australian Inventory of Chemical Substances (AICS).

### 16. OTHER INFORMATION

**Last Revision of MSDS** Rev 1.0 (18/08/2009)  
**Prepared by** MSDS.COM.AU Pty Ltd [www.msds.com.au](http://www.msds.com.au)  
**Abbreviations Used** IARC: International Agency for Research on Cancer  
NTP: National Toxicology Program (U.S.)  
OSHA: Occupational Safety and Health Administration (U.S.)  
STEL: Short term exposure limit  
TWA: Time weighted average

#### Emergency Contacts

<b>Wallboard Tool Co. Pty Ltd</b>	<b>07 5535 7655</b>
	<b>1300 653 177</b>
<b>Wallboard Tool Co. Pty Ltd – Emergency Number</b>	<b>13 11 26</b>
<b>Police and Fire Brigade</b>	<b>000</b>
<b>Poisons Information Centre</b>	<b>13 11 26</b>

The information contained in this material safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Wallboard Tool Co. Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

Please read instructions / label before using product.