



MATERIAL SAFETY DATA SHEET

TRIM-TEX SANDING BLOCKS & SPONGES

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

| | |
|----------------------------|--|
| Product Name | Trim-Tex Sanding Blocks & Sponges |
| Product Code | - |
| Other Names | - |
| Product Use | Sanding sponges and blocks comprised of polyurethane foam coated with polyurethane coating and aluminum oxide abrasive used as an abrasive sander. |
| Supplier Name | Wallboard Tool Co. Pty Ltd |
| Address | 30 Leda Drive Burleigh QLD 4220 |
| Telephone Number | 07 5535 7655 1300 653 177 |
| Emergency Telephone | 13 11 26 |

2. HAZARDS IDENTIFICATION

NON HAZARDOUS SUBSTANCE. NON DANGEROUS GOODS.
Not classified as hazardous according to the criteria of Safe Work Australia.

| | |
|-----------------------|---|
| Hazards | - |
| Risk Phrases | - |
| Safety Phrases | - |

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Ingredient (common name) | CAS Number | Proportion by weight |
|---------------------------------|-------------------|-----------------------------|
| Aluminum oxide | 1344-28-1 | 94-99% |
| Polyurethane foam | - | |
| Polyurethane coating | - | |

Polyurethane foam is a reaction product of polyethylene glycol and toluene diisocyanate.
Polyurethane coating is a reaction product of a polyethylene glycol and diphenyl methane diisocyanate.

4. FIRST AID MEASURES

| | |
|-------------------|---|
| Inhalation | If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if symptoms persist. |
| Ingestion | Never give anything by mouth to an unconscious person. Seek immediate medical attention. |
| Skin | Wash affected areas with soap and water. Seek medical attention if symptoms persist. |



MATERIAL SAFETY DATA SHEET

Eyes In case of eye contact immediately irrigate eyes with plenty of running water for at least 15 minutes keeping eyelids open. Seek medical attention if symptoms persist.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media For major fires call the Fire Brigade. Ensure that an escape path is available from any fire.
Water, dry chemical and foam.

Hazardous Combustion Products Irritating and toxic fumes.

Firefighting Equipment Wear ASCC approved self-contained breathing apparatus and full protective clothing.

Unusual Fire or Explosion Hazards If ignited this product will burn and consume oxygen.

Hazchem Code Not applicable.

6. ACCIDENTAL RELEASE MEASURES

Spills Sweep up discard. Avoid excessive dusting.

7. HANDLING AND STORAGE

Handling Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating.

Storage Store in a cool, dry, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Standards (Safe Work Australia) **Aluminum oxide:**
TWA: - ppm / 10 mg/m³
STEL: - ppm / - mg/m³

Engineering Controls Local exhaust ventilation is recommended when dusts can be released in excess of established airborne exposure limits.

Respiratory Protection Use an ASCC approved dust mask or respirator if the ventilation is not sufficient. See Australian Standards AS/NZS 1715 and 1716 for more information.

Eye Protection Always wear safety glasses during sanding.

Skin Protection Protective gloves and clothing.

Hygienic Practices Food, beverages and tobacco products should not be stored or consumed where this material is in use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.



MATERIAL SAFETY DATA SHEET

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--------------------------|----------------|
| Appearance | Solid |
| Odour | Odourless |
| Solubility in Water | Not applicable |
| Boiling Point / Range | Not applicable |
| Freezing Point / Range | Not applicable |
| Flash Point | >204°C |
| Autoignition Temperature | Not applicable |

10. STABILITY AND REACTIVITY

| | |
|--|--|
| Chemical Stability | This product is stable. |
| Incompatible Materials | No information available. |
| Hazardous Decomposition Products | Irritating and toxic fumes. |
| Hazardous Polymerization Conditions to Avoid | Will not occur. No information available. |

11. TOXICOLOGICAL INFORMATION

| | |
|--|--|
| Toxicity | Aluminum oxide: Inhalation TC _{LO} (mouse) = 352 mg/m ³ |
| Routes of Exposure | Inhalation, ingestion, eye and skin |
| Acute Health Effects | Inhalation: Dust in excess may be irritating to respiratory tract. Ingestion: Not a usual route of exposure. Ingestion is not recommended. Eye: May cause eye irritation. Skin: Some may experience light irritation from dust. |
| Chronic Health Effects | Chronic lung conditions may be aggravated by exposure to high concentrations of dust. |
| Existing Conditions Aggravated by Exposure | No information available. |
| Carcinogenicity | No information available. |

12. ECOLOGICAL INFORMATION

| | |
|-------------|---------------------------|
| Ecotoxicity | No information available. |
| Mobility | No information available. |

13. DISPOSAL CONSIDERATIONS

| | |
|--|---|
| Disposal methods and containers | Dispose according to applicable local and state government regulations. |
| Special precautions for landfill or incineration | Please consult your state Land Waste Management Authority for more information. |



MATERIAL SAFETY DATA SHEET

14. TRANSPORT INFORMATION

Not classified as a dangerous good according to the Australian Code for the Transport of Dangerous goods by road or rail.

| | |
|------------------------------|----------------|
| UN Number | Not applicable |
| Proper Shipping Name | Not applicable |
| Dangerous Goods Class | Not applicable |
| Hazchem Code | Not applicable |
| Packing Group | Not applicable |
| Special Precautions | Not applicable |

15. REGULATORY INFORMATION

Aluminum oxide is listed in the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

| | |
|------------------------------|---|
| Last Revision of MSDS | Rev 1.0 (18/08/2009) |
| Prepared by | MSDS.COM.AU Pty Ltd www.msds.com.au |
| Abbreviations Used | IARC: International Agency for Research on Cancer NTP: National Toxicology Program (U.S.) OSHA: Occupational Safety and Health Administration (U.S.) STEL: Short term exposure limit TWA: Time weighted average |

Emergency Contacts

| | |
|--|---------------------|
| Wallboard Tool Co. Pty Ltd | 07 5535 7655 |
| | 1300 653 177 |
| Wallboard Tool Co. Pty Ltd – Emergency Number | 13 11 26 |
| Police and Fire Brigade | 000 |
| Poisons Information Centre | 13 11 26 |

The information contained in this material safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Wallboard Tool Co. Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

Please read instructions / label before using product.