

TRIM-TEX

DRYWALL PRODUCTS

AUSTRALIAN EDITION - MAY 2017

THE TRIM-TEX STORY

Trim-Tex has been designing and producing the industry's finest and most innovative line of vinyl plasterboard accessory products for over 40 years. Besides being economical, vinyl plasterboard accessories are more flexible and durable than metal and will not rust, kink or dent.

Trim-Tex coined the phrase "drywall art", which accurately describes the adaptive use of materials and accessories to enhance the standard flat and squared edged world of plasterboard. Drywall art can be found in a variety of forms, including decorative archways, rounded edges, and even reveal effects such as shelves and stepped ceilings.

Trim-Tex doesn't just make decorative products. Trim-Tex is the industry leader in creating products designed to solve common plasterboard finishing problems. The patented Magic Corner solves cracking problems on inside off angle corners, cathedral and tray ceilings. In fact, Trim-Tex has acquired over 15 patents for their innovations.

Trim-Tex design engineers continually work through research and development to update and improve products and materials.

Trim-Tex provides the products to make your creative ideas come to life, from free flowing walls and ceilings to multilayered effects and more. Design freedom is now yours to achieve.

Trim-Tex is manufactured with the environment in mind. Trim-Tex Vinyl Beads have always been produced with at least 70% recycled content. Over 99% of the punch outs and out of spec product is recycled into top quality finished goods. Trim-Tex has recycling programs in place for all corrugated, paper, skids and steel used in their operations.

Trim-Tex is committed to continue as the #1 Vinyl Plastering Bead supplier in Australia by maintaining the lead in innovation, product quality and most expansive range.

CONTENTS

AN INTRODUCTION TO TRIM-TEX 2
CORNER BEADS – SQUARE FINISH ..... 4 - 6
CORNER BEADS – BULLNOSE FINISH ..... 7 - 9
CORNER BEADS – CHAMFER FINISH 10
CORNER BEADS – DECORATIVE FINISH 11
EXPANSION BEAD & MAGIC CORNER 12
J BEADS 13
L BEADS ..... 14 - 16
SHADOW & REVEAL BEADS 17
SPECIALITY BEADS 18
ACCESSORIES ..... 19 - 20
INSTALLATION ADVICE 21
RESOURCES 22

CORNER BEADS

Square Finish

CORNER BEADS 90° EXTERNAL



	Code	Nib Size	Mud Legs	Length	Ctn Qty
Corner Bead 90° Trim-Tex	72-4008	2.5mm	32mm	2.4m	50
Corner Bead 90° Trim-Tex	72-4010	2.5mm	32mm	3.0m	50

Trim-Tex Corner Beads create a dent resistant, square finished 90° corner.

ARCH PLUS 90°



	Code	Nib Size	Mud Legs	Length	Ctn Qty
Arch Plus 90° External Combo Bead Trim-Tex	72-4050	2.5mm	34mm	3.0m	40

Arch Plus is a combination of a 90° External Bead and a 90° External Archway Bead. Remove the Tear Away strip for a 90° Archway Bead that flexes from a 250mm inside radius to a 450mm outside radius.

T

ARCHWAY BEADS 90°



	Code	Nib Size	Mud Legs	Length	Ctn Qty
Archway Corner Bead 90° Trim-Tex	72-4108	2.5mm	32mm	2.4m	50
Archway Corner Bead 90° Trim-Tex	72-4110	2.5mm	32mm	3.0m	50

External Archway Corner Beads create free flowing, curved forms such as archways. Trim-Tex Archway flexes from a 250mm inside radius to a 450mm outside radius.

ARCHWAY BEAD 90° INSIDE



	Code	Nib Size	Mud Legs	Length	Ctn Qty
Archway Corner Bead 90° Trim-Tex	72-4150	2mm	25mm	3.0m	40

Archway Corner Beads create free flowing forms. Trim-Tex Archway flexes from a 900mm inside radius to a 900mm outside radius.

CORNER BEADS 135° EXTERNAL



	Code	Nib Size	Mud Legs	Length	Ctn Qty
Corner Bead Splayed 135° Trim-Tex	72-4208	2mm	32mm	2.4m	50
Corner Bead Splayed 135° Trim-Tex	72-4210	2mm	32mm	3.0m	70

Splayed External Corner Bead is used to create a brighter, more open feel. The bead flexes to fit unusual outside corner angles from 120° - 140°

CORNER BEADS ADJUSTABLE INSIDE



	Code	Nib Size	Mud Legs	Length	Ctn Qty
Corner Bead Adjustable 70°-150° Inside Trim-Tex	72-4308	2.5mm	25mm	2.4m	70
Corner Bead Adjustable 70°-150° Inside Trim-Tex	72-4310	2.5mm	25mm	3.0m	70

Adjustable Inside Corner Beads produce straight and sharp inside lines. This internal corner bead adjusts between 70° - 150°.
*Not designed for structural movement.

CORNER BEADS

Square Finish

CORNER BEADS 90° INSIDE



	Code	Nib Size	Mud Legs	Length	Ctn Qty
Corner Bead 90° Trim-Tex	72-4358	2mm	25mm	2.4m	40
Corner Bead 90° Trim-Tex	72-4350	2mm	25mm	3.0m	40

Trim-Tex Inside Corner Beads create straight and sharp inside corners solving common problems like uneven framing and gapping between sheets.

SLIMLINE BEADS 90° EXTERNAL



	Code	Nib Size	Mud Legs	Length	Ctn Qty
Slimline Corner Bead 90° Trim-Tex	72-6008	1.5mm	32mm	2.4m	50
Slimline Corner Bead 90° Trim-Tex	72-6010	1.5mm	32mm	3.0m	50

Trim-Tex Slimline creates lower profile 90° corners achieving a squarer finish for skirting and reducing the amount of compound required.

MUD SET™ 90° EXTERNAL CORNER BEAD



	Code	Nib Size	Mud Legs	Length	Ctn Qty
***Mud Set™* 90° External Corner Bead Trim-Tex**	72-MSR008LP	3mm	32mm	2.4m	50
***Mud Set™* 90° External Corner Bead Trim-Tex**	72-MSR010LP	3mm	32mm	3.0m	50

Rigid *Mud Set™* Corner Bead incorporates the strength of mud lock technology with the sharp, smooth lines created by the Trim-Tex I-Beam. The specially engineered hole pattern allows compound to flow through quickly enabling the bead to self level. The result is the most impact resistant external corner bead in the Trim-Tex range.

MUD SET™ 135° ADJUSTABLE EXTERNAL CORNER BEAD



	Code	Nib Size	Mud Legs	Length	Ctn Qty
***Mud Set™* 135° Adjustable External Corner Bead Trim-Tex**	72-MSRS10	3mm	35mm	3.0m	25

Mud Set™ Splayed External Corner Bead has adjustable mud legs that are suitable for use on corners ranging between 120°-150°. The mud locks bond the bead to the wall giving it superior impact resistance. The I-beam design is more rigid than the traditional splayed bead creating the sharpest, smoothest splayed corner available.

MUD SET™ ADJUSTABLE INSIDE CORNER BEAD



	Code	Nib Size	Mud Legs	Length	Ctn Qty
***Mud Set™* Adjustable Inside Corner Bead Trim-Tex**	72-MS4310	3mm	25mm	3.0m	50

The *Mud Set™* Adjustable Inside Corner Bead produces straight and sharp inside lines. The mud locks create more bonding area and the specially engineered holes enable the bead to self level. This internal corner bead adjusts between 70° - 150°

*Not designed for structural movement.

RIGID CORNER BEAD 90° EXTERNAL



	Code	Nib Size	Mud Legs	Length	Ctn Qty
Rigid Corner Bead 90° Trim-Tex	72-R010	2.5mm	35mm	3.0m	40

Rigid Corner Bead creates the sharpest, smoothest corner in the Trim-Tex range. The I-beam design is 3 times more rigid than the traditional corner bead creating the perfect impact resistant, 90° corner.

CORNER BEADS

Square Finish

RIGID ARCH BEAD 90° EXTERNAL



	Code	Nib Size	Mud Legs	Length	Ctn Qty
Rigid Archway Bead 90° Trim-Tex	72-RA10	2.5mm	35mm	3.0m	40

Rigid Archway Corner Bead creates free flowing, curved forms for example archways. This bead matches perfectly with Rigid Corner Bead for seamless transition between sharp, straight externals to archways.

RIGID CORNER BEAD 135° EXTERNAL



	Code	Nib Size	Mud Legs	Length	Ctn Qty
Rigid Corner Bead 135° Splayed Trim-Tex	72-RS10	2.5mm	35mm	3.0m	40

Rigid Splayed External Corner Bead creates a brighter, more open feel. The I-beam design provides the bead more rigidity than the traditional splayed bead creating the sharpest, smoothest Trim-Tex splayed corner available. The mud legs on the Splayed 135° Corner Bead adjust from 120°-150° making this profile suitable for off angles.

SKIMCOAT CORNER BEADS 90° EXTERNAL



	Code	Nib Size	Mud Legs	Length	Ctn Qty
Skimcoat Corner Bead 90° Trim-Tex	72-S010	2.5mm	42mm	3.0m	40
Skimcoat Corner Bead 90° Trim-Tex	72-S030	5mm	30mm	3.0m	35

Skimcoat Corner Bead is designed for use both indoors and outdoors. It is UV stabilised and punched with slots to suit render material.

UV



CORNER BEADS

Bullnose Finish

10mm BULLNOSE CORNER BEADS 90° EXTERNAL



	Code	Bullnose	Mud Legs	Length	Ctn Qty
Bullnose Corner Bead 90° Trim-Tex	72-35008	10mm	28mm	2.4m	35
Bullnose Corner Bead 90° Trim-Tex	72-35010	10mm	28mm	3.0m	35

Bullnose Corner Beads soften sharp edges for a more contemporary look. Trim-Tex Bullnose Beads are impact resistant making them perfect for high traffic areas where a softer appearance is desired.

10mm BULLNOSE ARCH BEADS 90°



	Code	Bullnose	Mud Legs	Length	Ctn Qty
Bullnose Corner Bead 90° Archway Trim-Tex	72-35020	10mm	27mm	3.0m	25

Bullnose Archway Beads create free flowing, curved forms with a soft, rounded edge. Trim-Tex Bullnose Archway flexes from a 375mm inside radius to a 600mm outside radius.

10mm BULLNOSE CORNER BEADS 135° EXTERNAL



	Code	Bullnose	Mud Legs	Length	Ctn Qty
Bullnose Corner Bead 135° Trim-Tex	72-35038	10mm	22mm	2.4m	35
Bullnose Corner Bead 135° Trim-Tex	72-35030	10mm	22mm	3.0m	35

Bullnose Splayed Corner Beads suit unusual outside corners, softening the appearance and creating contemporary appeal.

MUD SET™ 90° 10mm BULLNOSE 90° CORNER BEAD



	Code	Bullnose	Mud Legs	Length	Ctn Qty
***Mud Set™* 90° Bullnose Corner Bead 90° Trim-Tex**	72-MS35010	10mm	22mm	3.0m	40

Mud Lock technology meets impact resistant Trim-Tex Bullnose. Create corners and features with soft edges that will stand up to even extreme impacts. Mud Set™ Bullnose Beads are an excellent solution for high traffic areas.

N

10mm BULLNOSE CORNER PIECES



	Code	Bullnose	Ctn Qty
Bullnose 3 Way Outside Corner Piece Trim-Tex	72-0923	10mm	50
Bullnose Splayed 3 Way Outside Corner Piece Trim-Tex	72-0921	10mm	50

Bullnose 3 Way Corner Pieces are used for seamlessly finishing three 10mm Bullnose Corner Beads.

– 72-0923 finishes three 90° external corners into a smooth 90° outside angle.
– 72-0921 finishes two 90° external corners and one 135° creating a soft, off angle finish.

10mm BULLNOSE MITRE MARKER

	Code	Bullnose	Ctn Qty
Bullnose Mitre Marker Trim-Tex	72-0922	10mm	40

The Bullnose Mitre Marker eliminates guess work allowing you to mark, cut and create perfect 90° and 135° inside corners.

CORNER BEADS

Bullnose Finish

10mm BULLNOSE SPLICER

	Code	Bullnose	Ctn Qty
Bullnose Splicer Trim-Tex	72-0924	10mm	40



Join two pieces of 10mm Bullnose Corner Bead using the Bullnose Splicer. Apply adhesive to the inside of both bead pieces and snap the Splicer into place for the perfect join.

19mm BULLNOSE CORNER BEADS 90° EXTERNAL

	Code	Bullnose	Mud Legs	Length	Ctn Qty
Bullnose Corner Bead 90° Trim-Tex	72-7008	19mm	22mm	2.4m	35
Bullnose Corner Bead 90° Trim-Tex	72-7010	19mm	22mm	3.0m	35



Bullnose Corner Beads soften sharp edges for a more contemporary look. Trim-Tex Bullnose Beads are impact resistant making them suitable for high traffic areas where a softer appearance is desired.

19mm BULLNOSE ARCH BEAD 90°

	Code	Bullnose	Mud Legs	Length	Ctn Qty
Bullnose Corner Bead Archway Trim-Tex	72-7110	19mm	22mm	3.0m	35



Bullnose Archway Beads create free flowing, curved forms such as archways with a smooth, rounded edge. Trim-Tex Bullnose Archway flexes from a 375mm inside radius to a 500mm outside radius.

19mm BULLNOSE CORNER BEAD 135° EXTERNAL

	Code	Bullnose	Mud Legs	Length	Ctn Qty
Bullnose Corner Bead 135° Trim-Tex	72-7308	19mm	22mm	2.4m	35
Bullnose Corner Bead 135° Trim-Tex	72-7310	19mm	22mm	3.0m	35



Bullnose Splayed Corner Beads suit unusual outside corners, softening their appearance and creating contemporary appeal.

19mm BULLNOSE CORNER BEAD 90° INSIDE

	Code	Bullnose	Mud Legs	Length	Ctn Qty
Bullnose Inside Corner Bead Trim-Tex	72-7210	19mm	22mm	3.0m	35



Bullnose Inside Corner Bead is designed to round a 90° inside corner.

19mm BULLNOSE 2 WAY CORNER PIECES

	Code	Bullnose	Ctn Qty
Bullnose 2 Way Corner Piece Trim-Tex	72-0903	19mm	50
Bullnose 135° 2 Way Corner Piece Trim-Tex	72-0912	19mm	50



19mm Bullnose Corner Pieces are used for seamlessly finishing two Bullnose Corner Beads.

– 72-0903 finishes two 90° external corners into a square 90° angle.
– 72-0912 finishes two 90° external corners into a 135° internal angle.

CORNER BEADS

Bullnose Finish

19mm BULLNOSE 3 WAY CORNER PIECES

	Code	Bullnose	Ctn Qty
Bullnose 3 Way Outside Corner Piece Trim-Tex	72-0904	19mm	50
Bullnose 135° 3 Way Outside Corner Piece Trim-Tex	72-0911	19mm	50
Bullnose 3 Way Inside Corner Piece Trim-Tex	72-0905	19mm	50



19mm Bullnose Corner Pieces are used for seamlessly finishing Three Bullnose Corner Beads.

– 72-0904 finishes three 90° external corners into a smooth 90° outside angle.
– 72-0911 finishes two 90° external corners and one splayed external into a external off angle.
– 72-0905 finishes three 90° internal corners into a smooth 90° outside angle.

19mm BULLNOSE ADAPTOR

	Code	Bullnose	Length	Ctn Qty
Bullnose Adaptor Trim-Tex	72-0917	19mm	140mm	50

The Bullnose Adaptor joins to and transitions 19mm Bullnose External corners to a square bottom corner assisting with skirting installation.

19mm BULLNOSE MITRE MARKER

	Code	Bullnose	Ctn Qty
Bullnose 19mm Mitre Marker Trim-Tex	72-0932	19mm	40



The Bullnose Mitre Marker eliminates guess work allowing you to mark, cut and create perfect 90° and 135° inside corners.

19mm BULLNOSE SPLICER

	Code	Bullnose	Ctn Qty
Bullnose 19mm Splicer Trim-Tex	72-0925	19mm	100



Join two pieces of 19mm Bullnose Corner Bead using the Bullnose Splicer. Apply adhesive to the inside of both bead pieces and snap the Splicer into place for the perfect join.



CORNER BEADS

Chamfer Finish

CHAMFER CORNER BEADS 90° EXTERNAL



	Code	Chamfer	Mud Legs	Length	Ctn Qty
Chamfer Bead 19mm 90° Trim-Tex	72-9610	19mm	26mm	3.0m	30
Chamfer Bead 32mm 90° Trim-Tex	72-9510	32mm	22mm	3.0m	30

Chamfer Bead maintains the appearance of a crisp corner with a modern appeal.

CHAMFER ARCH™ BEAD 90°



	Code	Chamfer	Mud Legs	Length	Ctn Qty
Chamfer Corner Bead 90° Archway Trim-Tex	72-9650	19mm	22mm	3.0m	30

Chamfer Archway Bead matches perfectly with Chamfer Corner Bead to continue the modern look on curved, free flowing features.

CHAMFER CORNER PIECE



	Code	Chamfer	Ctn Qty
Chamfer Outside 3 Way Corner Piece Trim-Tex	72-0940	32mm	50

Chamfer 3 Way Corner Piece is used for seamlessly finishing three 32mm Chamfer Corner Beads into a 90° Corner.

CHAMFER MITRE MARKER



	Code	Chamfer	Ctn Qty
Chamfer Mitre Marker Trim-Tex	72-0943	32mm	50

The Chamfer Mitre Marker eliminates guess work allowing you to mark, cut and create perfect 90° and 135° inside corners.

CORNER BEADS

Decorative Finish

STEP A BULL CORNER BEAD

Code	Bullnose	Mud Legs	Length	Ctn Qty
72-7030	10mm	25mm	3.0m	20



10mm Step a Bull Corner Bead Trim-Tex
The soft look of Trim-Tex Bullnose Bead paired with additional lineal details to give this favourite a decorative twist.

N

STEP A BULL ADAPTOR

Code	Bullnose	Ctn Qty
72-997	10mm	15

10mm Step a Bull Adaptor Trim-Tex
This adaptor creates a seamless and easy transition between 10mm Step a Bull and a square corner.

N

10mm STEP A BULL 3-WAY CORNER PIECE

Code	Bullnose	Ctn Qty
72-998	10mm	15



Step a Bull 3 Way Outside Corner Piece Trim-Tex
This corner piece finishes three 10mm Step a Bull Corner Beads into a perfect external angle quickly and easily.

N

NICHE CORNER BEAD

Code	Mud Legs	Length	Ctn Qty
72-64110	22mm	3.0m	15



Niche Corner Bead Trim-Tex
A concave feature bead that can be used on 90º external corners, bulkheads, niches and more.

N

NICHE ADAPTOR

Code	Ctn Qty
72-986	10

Niche Adaptor Trim-Tex
Create the perfect transition between the concave appearance of Niche Bead and a square 90º corner.

N

EXPANSION BEADS & MAGIC CORNER



HIDEAWAY™ EXPANSION BEAD



Code	Expansion	Mud Legs	Length	Ctn Qty
72-2710	9mm	25mm	3.0m	25

***Hideaway™* Expansion Bead Trim-Tex**

Hideaway™ Bead is a low profile expansion that eliminates the exposed "V" common with other products. The soft centre flexes as the structure expands while the *Tear Away™* strips protect the centre from plaster.

UV T

093V™ EXPANSION BEAD



Code	Expansion	Mud Legs	Length	Ctn Qty
72-093V	6mm	25mm	3.0m	20

***093V™* Expansion Bead Trim-Tex**

Trim-Tex "V" Expansion Bead allows for 6mm of structural movement. The "V" shape of the bead is made from rigid PVC with a soft, flexible connection at the bottom. *Tear Away™* strips on either side of the "V" protect the centre from damage and plaster.

T

MAGIC CORNER™



Code	Expansion	Mud Legs	Length	Ctn Qty
72-4320	9mm	25mm	60m	1
72-4325K	9mm	25mm	35m	1

***Magic Corner™* Trim-Tex**

***Magic Corner™* Kit Trim-Tex**

Magic Corner™ is the perfect solution for off angled walls and raked ceilings. This bead combines rigid PVC on the mud legs with a soft centre allowing it to act as an expansion bead at any angle. *Magic Corner™* Kit includes 1 x 35m roll of Trim-Tex Magic Corner, a 454g can of Spray Adhesive and an installation tool. A detailed installation and painting guide features on the box.

J BEADS

J BEADS	Code	Short Leg	Long Leg	Length	Ctn Qty
					
Casing Bead 10mm Trim-Tex	**72-1010**	**10mm**	**22mm**	**3.0m**	**50**
Casing Bead 13mm Trim-Tex	**72-1110**	**13mm**	**22mm**	**3.0m**	**50**
Trim-Tex J Beads are nailed on or slipped over 10mm or 13mm plasterboard. J Beads are ideal for use under door and window encasements to finish plasterboard ends.					

J BEAD SET BEAD	Code	Short Leg	Long Leg	Length	Ctn Qty
					
Casing Bead 13mm with Set Bead Trim-Tex	**72-1710**	**13mm**	**28mm**	**3.0m**	**50**
Mud on J Bead slips over 13mm plasterboard when butting up to other substrates like masonry, glass as well as window and door encasements. The large slots allow for an excellent bond and a smooth finish.					



L BEADS



L BEAD



	Code	Return	Mud Leg	Length	Ctn Qty
L Bead 10mm Trim-Tex	72-3206	10mm	28mm	3.0m	80
L Bead 13mm Trim-Tex	72-3210	13mm	28mm	3.0m	80

Trim-Tex L Beads finish 10 and 13mm plasterboard when butting up to a different substrate.

ARCHWAY L BEAD



	Code	Return	Mud Leg	Length	Ctn Qty
Archway L Bead 13mm Trim-Tex	72-3288	13mm	28mm	3.0m	50
Archway L Bead 16mm Trim-Tex	72-3299	16mm	28mm	3.0m	50

Archway L Bead is the perfect solution for finishing columns and free form plasterboard art for example layering. Trim-Tex Archway L Bead flexes from a 250mm inside radius to a 375mm outside radius.

ARCHWAY L BEAD



	Code	Return	Mud Leg	Length	Ctn Qty
Archway L Bead (architectural style) 10mm Trim-Tex	72-AS3266	10mm	28mm	3.0m	30
Archway L Bead (architectural style) 13mm Trim-Tex	72-AS3299	13mm	28mm	3.0m	30

Achieve a sharper finish around columns and free form plasterboard layers.These L Beads flex to a 250mm inside radius and a 375mm outside radius.

OVERSIZED L BEADS



	Code	Return	Mud Leg	Length	Ctn Qty
Oversized L Bead 25mm Trim-Tex	72-3510	25mm	35mm	3.0m	50
Oversized L Bead 32mm Trim-Tex	72-3610	32mm	35mm	3.0m	50
Oversized L Bead 53 & 68mm Trim-Tex	72-3611	53 & 68mm	35mm	3.0m	50

Oversize L Beads are designed for finishing window returns and other details, particularly during renovations.

FLAT *TEAR AWAY™* BEAD



	Code	Return	Mud Leg	Length	Ctn Qty
Flat *Tear Away™* Bead Trim-Tex	72-9000	Flat	28mm	3.0m	50

Flat Tear Away™ Bead is used in areas where the plasterboard has been butted too close to slip the return leg behind the plasterboard.

T

TEAR AWAY™ L BEADS



	Code	Return	Mud Leg	Length	Ctn Qty
Tear Away™ L Bead 6mm Trim-Tex	72-9002	6mm	28mm	3.0m	50
Tear Away™ L Bead 10mm Trim-Tex	72-9004	10mm	28mm	3.0m	50
Tear Away™ L Bead 13mmTrim-Tex	72-9010	13mm	28mm	3.0m	50
Tear Away™ L Bead 16mmTrim-Tex	72-9110	16mm	28mm	3.0m	50

Trim-Tex Tear Away™ L Beads feature an 8mm tear away strip that acts as a protective mask when setting and painting. Tear Away™ L Beads are used when butting plasterboard to another substrate.

T

L BEADS



SUPER SEAL L BEAD

Code	Return	Mud Leg	Length	Ctn Qty
72-9210	10mm	28mm	3.0m	25



Super Seal *Tear Away™* L Bead Trim-Tex
Super Seal L Bead is the perfect solution for around windows, doors and when joining plasterboard to a different substrate. The flexible gasket compresses on installation creating a permanent seal and providing structural relief along the beads perimeter.

T

SUPER L BEAD

Code	Return	Mud Leg	Length	Ctn Qty
72-3710	80mm (66, 53, 41mm)	35mm	3.0m	30



Super L Bead Trim-Tex
Super L Beads are ideal for finishing window and door returns.
The return leg measures 80mm and is pre-scored at 66, 53 and 41mm.
Apply Finish Trim to the end of the return leg for odd size returns.

SUPER ARCHWAY L BEAD

Code	Return	Mud Leg	Length	Ctn Qty
72-3810	80mm (66, 53, 41mm)	35mm	3.0m	30



Super L Bead Archway Trim-Tex
Super L Beads are ideal for finishing arched window and door returns.
The return leg measures 80mm and is pre-scored at 66, 53 and 41mm.
Apply Finish Trim to the end of the return leg for odd size returns.

GIANT L BEAD

Code	Return	Mud Leg	Length	Ctn Qty
72-3850	145mm (122, 109, 95mm)	35mm	3.0m	20



Giant L Bead Trim-Tex
Giant L Beads are ideal for finishing window and door returns.
The return leg measures 145mm and is pre-scored at 122, 109 and 95mm. Apply Finish Trim to the end of the return leg for odd size returns.

GIANT ARCHWAY L BEAD

Code	Return	Mud Leg	Length	Ctn Qty
72-3860	145mm (122, 109, 95mm)	35mm	3.0m	20



Giant L Bead Archway Trim-Tex
Giant L Beads are ideal for finishing arched window and door returns.
The return leg measures 145mm and is pre-scored at 122, 109 and 95mm. Apply Finish Trim to the end of the return leg for odd size returns.

FINISH TRIM

Code	Return	Length	Ctn Qty
72-3910	25mm	3.0m	30



Finish Trim for Super & Giant L Bead Trim-Tex
Finish Trim slips over the return end of all Super and Giant L Beads to achieve sizes not covered by the pre-scoring.

L BEADS

BULLNOSE J ROUND	Code	Return	Mud Leg	Length	Ctn Qty
 **Bullnose J Round Trim-Tex** Bullnose J Round finishes windows, door openings and layered features with a soft, round effect. J Round is fitted after the plasterboard is installed.	72-7410	19mm	25mm	3.0m	30

CHAMFER STOP™	Code	Return	Mud Leg	Length	Ctn Qty
***Chamfer Stop™* Trim-Tex** Chamfer Stop™ finishes windows, door openings and layered features with a crisp, modern effect. This decorative bead is fitted after the Plasterboard is installed.	72-9530	13mm	25mm	3.0m	30

Super and Giant L Beads are the fast and practical way to finish windows, but they can also be used to produce individual plasterboard features.



SHADOW & REVEAL BEADS

SHADOW BEAD TRIM-TEX



Code	Shadow	Mud Legs	Length	Ctn Qty
72-5510	13x13mm	25mm	3.0m	50

Shadow Bead Trim-Tex
Trim-Tex Shadow Bead is used to create an attractive reveal when butting up to door jambs, skirting and other architectural features.

ARCHWAY SHADOW BEAD



Code	Shadow	Mud Legs	Length	Ctn Qty
72-5550T	10x10mm	32mm	3.0m	25

Archway Shadow Bead *Tear Away™* 10mm Trim-Tex
Archway Shadow Bead flexes to a minimum 1200mm inside radius or a 600mm outside radius to create reveal effects around columns or curved walls. The 8mm *Tear Away™* strip guides your taping knife while protecting the reveal from plaster and paint.
*A heat gun can be used to smooth out the return leg if it wrinkles.

T

SHADOW BEADS *TEAR AWAY™*



Code	Shadow	Mud Legs	Length	Ctn Qty
72-5390T	6x10mm	25mm	3.0m	25
72-5520T	10x10mm	25mm	3.0m	25

Shadow Bead *Tear Away™* 6mm Trim-Tex
Shadow Bead *Tear Away™* 10mm Trim-Tex
Tear Away™ Shadow Bead creates attractive reveals when butting up to door jambs, skirting and other features. The 8mm *Tear Away™* strip guides your taping knife while protecting the reveal from plaster and paint.

T

REVEAL BEADS



Code	Shadow	Mud Legs	Length	Ctn Qty
72-5150	6 x 6mm	25mm	3.0m	30
72-5110	13 x 13mm	25mm	3.0m	20
72-5310	13 x 25mm	25mm	3.0m	15

Reveal Bead Trim-Tex
Reveal Bead Trim-Tex
Reveal Bead Trim-Tex
Trim-Tex Reveal Beads creates an attractive eye catching recess in the plasterboard finish. These Reveal Beads can be used with RL6 Fibre Optic Cable.

SPECIALTY BEADS

ACCESS DOOR BEAD



Code	Flange	Return	Length	Ctn Qty
72-8020	16mm	36mm	3.0m	12

Mud on Access Door Bead Trim-Tex
Access Door Bead is designed for finishing plasterboard around manhole frames and access holes. The flange provides a platform for the plasterboard door to sit on.

ANGLE MASTER



Code	Mud Legs	Length	Ctn Qty
72-MS325	41mm	30.5m	1

Angle Master Trim-Tex
Angle Master is an 82mm wide, flexible corner tape from Trim-Tex. It has been specially engineered to create a sharp corner at any angle and features Trim-Tex's patented Mud Lock Technology™ to assist in creating an exceptionally strong bond to the plasterboard surface. Angle Master is installed with joint compound only and is available as a 30.5m roll.

N

FAST CAP



Code	Cap Size	Mud Legs	Length	Ctn Qty
72-4883	89mm	35mm	3.0m	10

Fast Cap 89mm Trim-Tex
Fast Cap is designed to finish doorways, wall ends and closets in one easy application - eliminating the need for corner beads. 89mm Fast Cap is made for a 64mm stud and 2 sheets of 13mm plasterboard.

FLEX GRID ANGLE™



Code	Leg Size	Leg Size	Length	Ctn Qty
72-8158M	28mm	22mm	2.4m	10

***Flex Grid Angle™* 22mm Trim-Tex**
Flex Grid Angle™ is used to finish suspended ceilings terminating at curved walls or surfaces and also suits finishing round columns. Flex Grid Angle™ curves to a minimum inside radius 1500mm and a 140mm minimum outside radius.

LED LIGHT BEAD



Code	Leg Size	Mud Legs	Length	Ctn Qty
72-LED10	16mm	25mm	3.0m	20

LED Light Bead Trim-Tex
Trim-Tex LED Light Bead installs directly into the plasterboard. It features an angled leg that allows an LED strip to be installed at the optimal light angle while also creating an accent shadow for a clean, sharp look. This profile accommodates a 10mm LED Strips (sold separately).

N

DEFLECTION BEAD



Code	Deflection	Mud Legs	Length	Ctn Qty
72-9220	10mm	30mm	3.0m	21

Wall Mounded Deflection Bead Trim-Tex
Wall Mounted Deflection Bead prevents inside corner cracking when installed against a ceiling or concrete deck that may be subject to structural movement. The flexible gasket expands and compresses providing up to 10mm total deflection. The 6mm Tear Away strip leaves a clean, finished edge reducing labour and clean up.

T N

ACCESSORIES

ROLLER KIT

Code	Ctn Qty



Roller Kit Pro Series Trim-Tex — 72-385 — 1

The Trim-Tex Roller Kit is the light weight and durable solution for installing new Trim-Tex Mud Set Beads. The first roller assists in the installation of 90° Mud Set Corner Bead while the second is used to install the 135° Mud Set Corner Bead.

HOPPER

Code	Ctn Qty



Hopper Pro Series Trim-Tex — 72-390 — 1

The Pro Series Hopper is made from durable polypropylene resin and holds approximately 11 litres of compound. It coats both mud legs of Trim-Tex *Mud Set™* Beads making them ready to install saving both time and joint compound.

HOPPER STAND

Code	Ctn Qty

Hopper Stand Pro Series 4 in 1 Trim-Tex — 72-391 — 1

Designed specifically for the Pro Series Hopper, the Hopper Stand is stable, sturdy and allows you to coat beads without bending.

ADHESIVE CAULK

Code	Volume	Ctn Qty

Bondaflex Caulk Trim-Tex — 72-700 — 300ml — 12

Trim-Tex Caulk is a high quality bead installation adhesive and painters caulk. 700 Caulk is perfect for ensuring a superior bond on Trim-Tex Beads with solid returns like Super and Giant L Beads.

SPRAY ADHESIVE

Code	Volume	Ctn Qty

Adhesive Spray Trim-Tex — 72-847 — 454g — 12

Trim-Tex Spray Adhesive is a high tack, pressure sensitive adhesive engineered to be used with Trim-Tex Beads and Accessories.

CITRUS CLEANER

Code	Volume	Ctn Qty

Cleaner Citrus Trim-Tex — 72-848 — 425g — 6

Citrus Cleaner is designed to remove Trim-Tex Spray Adhesive from Trim-Tex Beads and other building materials.

ACCESSORIES

SANDING BLOCK ANGLED

	Code		Size	Ctn Qty
Sanding Block Angled 1pc Trim-Tex	**72-885**		**125x70x25mm**	**24**
Sanding Block Angled 100pcs Trim-Tex	**72-886**		**125x70x25mm**	



Trim-Tex Sanding Blocks have been designed with angled sides for sanding corners without scuffing the opposing wall. The sanding block features 2 sides with a fine grit and 2 with a medium grit.

SANDING SPONGE

	Code		Size	Ctn Qty
Sanding Sponge Trim-Tex	**72-881**		**140x115x5mm**	**50**



The sanding sponge is a fine grit, flexible, sanding pad. Its flexibility makes it perfect for use when sanding Bullnose and Chamfer Beads.

INSTALLATION ADVICE

710 Application



72-700 is a siliconized acrylic caulk used for installing Trim-Tex Beads with return legs.

Spray Adhesive 847

Spray a liberal coat of 847 to the inside of the bead as well as the surface of the plasterboard. Apply firm even pressure to ensure a solid bond.

Trim-Tex 847 Spray Adhesive is a high tack, pressure sensitive spray adheisve specifically designed to be used to install Trim-Tex Beads.

Divergent Staples

Direction of legs on installation.



The legs of divergent staples splay when inserted into plasterboard.

Splay cut on leg of staple to guide each leg in opposite direction for greater purchase to the plasterboard lining.

90° External Bead



Trim-Tex Corner Beads are installed quickly and easily with 847 Spray Adhesive and Staples. The result is a dent resistant, square, 90° corner.

135° External Bead



Trim-Tex Splayed External Beads adjust to external angles between 120°-140° providing a more open feel.

135° Internal Bead



Adjustable Internal Beads produce sharp corners on inside corners between 70°-120°. Adjustable Internal Beads are not suitable for areas where structural movement is a concern.

Archway Corner Bead



Produce free flowing curves with Trim-Tex Archway Beads. Install with Spray Adhesive and staples. Staple every tab for ultimate bond.

Slimline 90° External Bead



Reduce skirting deflection with Slimline Corner Bead. Slimline creates a lower profile 90° angle while reducing the amount of compound required.

Rigid Corner Bead Minimal Setback



Rigid Corner Bead creates the sharpest corner in the Trim-Tex range and combines perfectly with Rigid Archway and Rigid Splayed outside Bead to continue the look.

Arch Plus



Arch Plus transitions from a 90° Corner to a 90° Arch Bead quickly and easily. Simply snip, bend and remove the Tear Away strip.

10mm Bullnose Minimal Setback



10mm Bullnose Beads soften sharp corners for a more contemporary look. Trim-Tex Beads are installed with 847 Spray Adhesive and 10mm divergent staples.

19mm Bullnose Minimal Setback



19mm Bullnose Beads give plasterboard corners a smoother appearance and are perfect for high traffic areas where a higher degree of impact resistance is desired.

32mm Chamfer Bead Minimal Setback



32mm Chamfer Bead maintains the appearance of a crisp corner with twin profile lines resulting in a softer look.

19mm Chamfer Bead Minimal Setback



Installing 19mm Chamfer Bead results in a narrower more subtle appearance than the traditional 32mm Chamfer while maintaining the modern twin profile lines.

72-2710 Installation



Hideaway Expansion Joint is perfect for areas where structural movement is a concern. The soft centre provides up to 9mm of expansion.

72-093V Installation



Trim-Tex "V" Expansion Bead allows for up to 6mm of structural movement. The Tear Away strips protect the exposed "V" from plaster and removes after painting for a clean finish.

Magic Corner



Magic Corner is the perfect solution for off angles and raked ceilings. The soft centre of the Magic Corner allows for up to 9mm of structural movement.

Super & Giant L Beads



Super and Giant L Beads are used to finish window returns and door jambs. Bullnose Super and Giant L Beads are available so the soft Bullnose look can be continued throughout an entire building.

710 Application



Apply a continuous bead of Trim-Tex caulk for every 50mm of solid return leg. 72-700 is perfect for installing Super and Giant L Beads as well as Trim-Tex Fast Cap.

For full installation instructions please check the product data sheets available from the website www.wallboardtools.com.au

RESOURCES

TRIM-TEX DATA SHEET

Trim-Tex Product Data Sheets detail the correct installation method for each of the Trim-Tex Beads. The Data Sheets also outline recommended setback on easy to read diagrams. Download the full set of Trim-Tex data sheets from the Wallboard Tools website under “Tech” or the PlasterArt website under resources.





CAD DRAWINGS

Detailed CAD drawings of all Trim-Tex Beads are now available. Download the CAD files from the Wallboard Tools website under “Tech” or the PlasterArt website under resources.



PLASTERART

PlasterArt.com.au is the new home for creativity in plastering. PlasterArt has been designed to showcase Trim-Tex beads and accessories as well as some of the features and effects that can be achieved when working the extensive range. The Plaster Art gallery contains a collection of images that inspire creativity and illustrate just how versatile and practical Trim-Tex is.

PlasterArt.com.au is continually evolving to include even more helpful tools including videos, CAD files and Product Data Sheets.

Subscribe to the feed today to be kept up-to-date with the new products, photos, projects and much more.

FACEBOOK

Find PlasterArt on Facebook by typing www.facebook.com/plasterart into the browser address bar. If you are a member of Facebook hit the “Like” button near the page title to stay up-to-date with all the news for PlasterArt and to be able to participate in Facebook only competitions and giveaways.

WARRANTY

Trim-Tex, Inc. warrants that the products manufactured by Trim-Tex to be free from manufacturing defects when installed in accordance with the guidelines and instructions, where indicated and in accordance to the customary and ordinary standards of the industry.

Trim-Tex, Inc.'s sole responsibility shall be for the replacement of the product only, when it has been determined by Trim-Tex, Inc. that the product was defective as a result of manufacturing and not as a result of improper installation or handling. Trim-Tex assumes no liability or responsibility for any direct, indirect of consequential damages that may arise from the use of any product manufactured by Trim-Tex. Trim-Tex assumes no responsibility for any defective product not manufactured by Trim-Tex in which a product of Trim-Tex is attached to or made a part of said product.

Neither Trim-Tex, it's officers, agents or employees have the authority to make any other warranty either orally or in writing.

INSTALLATION

General

1) Ensure the substrate is true and plumb
2) Remove excess overhang of plasterboard prior to installation of Trim-Tex Bead
3) Spray a liberal coat of Trim-Tex 847 Spray Adhesive to the inside of the Trim-Tex bead as well as the surface of the plasterboard where the Trim-Tex bead is to be installed.
4) Apply firm even pressure to the mud legs using the Trim-Tex Cleaning Tools to ensure a solid bond.
5) Staple through the mud leg(s) of the Trim-Tex bead at 200mm centres maximum using 10mm divergent staples. When installing an Archway Bead, staple every tab.
6) Re-apply pressure to the mud leg of the Trim-Tex Bead.
7) Set the Trim-Tex bead with an approved compound (refer to standard ASTM-C475-02 or the Plasterboard Manufacturers recommendations.

Super & Giant L Bead Installation

1) Pre cut all parts to fit the return. Leave 1.5mm clearance on ends. To use pre-scored marks, back bend at the desired score mark several times and then tear off the strip. Slip on the finish trim (if required). Use Mitre Marker for mitering 90° and 135° corners on Bullnose Super and Giant L Beads.
2) Apply 2 or 3 beads of Trim-Tex Siliconized Acrylic Caulk onto return for full coverage. Make sure the adhesive covers Finish Trim (if used).
3) Align the "L" Bead onto the return and press firmly into place.
4) Staple the mud leg to the wall at 200mm centres maximum using 10mm divergent stables. When installing an Archway Bead staple every tab.
5) Always extend Archway "L's" beyond the arch approximately 400mm onto the straight area where there is sufficient backing material to allow for the butt joint to be properly adhered and to provide a flat surface for floating the butt joint.
6) Before paint, float and tape all straight butt joints, caulk corner joints and caulk along the window frame.

For installation information specific to a particular Bead please download the Product Data Sheet from the Wallboard Tools Website (www.wallboardtools.com.au)

Mud Set Beads

1) Apply Base Compound to corner or alternatively directly to the bead using a Hopper.
2) Apply Mud Set Bead to the wall.
3) Using the Trim-Tex Pro Series Roller or taping knife, press the bead firmly onto the wall allowing the compound to penetrate the micro perforations. The Mud Set Bead will self level on the corner.
4) Apply the first coat of compound to the Mud Set Bead.

TRADEMARKS

Trim-Tex, Drywall Art, Pullaway, Tear Away, Mud Set Beads, Chamfer Bead, Chamfer Stop, Chamfer 3 Way, Chamfer Marker, Chamfer Arch, Magic Corner, Hideaway, 093V, Fast Cap, Mud On, Flex Grid Angle, Miter Marker, Arch Plus, Angle Master, 847 and 848 trademarks of Trim-Tex. Backerboard and Buttboard are trademarks of BBI Inc. Wallboard Tools is a trademark of Wallboard Tool Co. Pty Ltd.

30 Leda Drive, West Burleigh QLD 4219 Australia
PO BOX 2508 Burleigh BC QLD 4220

2/16 Kenoma Place, Arndell Park NSW 2148 Australia

28 Ovata Drive, Tullamarine VIC 3033 Australia

8A Adrian Street, Welshpool WA 6106 Australia

Ph: 1300 653 177 | Fx: 1300 657 442
International Ph: 61 7 5535 7655 | International Fx: 61 7 5535 7741
Sales Email: sales@wallboardtools.com.au

www.wallboardtools.com.au
www.plasterart.com.au

www.facebook.com/wallboardtools
www.youtube.com/wallboardtools
www.instagram.com/wallboardtools (@wallboardtools)

Distrubutors: