

BUILT TO PERFORM

TROWELS • DETAIL TOOLS • FLOATS • BUCKETS • RULES



REFINA

AUSTRALIA

REFINA TOOLS

REFINA is a leading manufacturer of premium tools and equipment for professional wet trades.

Using only the highest quality materials and working with advanced manufacturing processes, REFINA creates unrivalled tools that are built to perform. With production facilities in the UK, Germany and Europe, quality and design are always at the forefront of REFINA products.

REFINA prides itself on its innovative approach to product development, working closely with skilled tradespeople to design specialist tools that will inject efficiency into your working day and withstand the test of time.

All of the products are covered by warranty and designed for professional trade use.

SUPPLYING PROFESSIONAL
TRADESPEOPLE SINCE
1985

www.refina.au | australia@refina-tools.com | 1300 653 177



SALES

For product advice or sales, please contact australia@refina-tools.com 1300 653 177
(Monday – Friday 7:30am-4:00pm).



PLASTER, RENDER & CEMENT

pg**2**

MIDGET TROWELS

pg**7**

PLASTIC TROWELS & FLOATS

pg**8**

SPONGE FLOATS

pg**12**

WASH BUCKET

pg**15**

BRUSHES

pg**16**

BUCKETS & TUBS

pg**17**

ROLLERS & FRAMES

pg**18**

SCRATCH FLOATS & RASPS

pg**19**

NOTCHED TROWELS

pg**22**

STRAIGHT EDGES & LEVELS

pg**26**

TOOL CASES & PROTECTION

pg**28**

SUPERFLEX® The Professional Edge

REFINA SUPERFLEX finishing trowels are produced with premium 0.4mm and 0.5mm gauge stainless steel blades. The SUPERFLEX trowels are designed with an intermediate plate, allowing for a two-step flex profile of the blade which helps to maintain a straight working edge whilst requiring less pressure than a traditional riveted trowel.

They are a trade favourite due to their durability, wear profile and short break in period.

SUPERFLEX-1

FIRM  FLEXIBLE

The original and best-selling SUPERFLEX is fitted with a flexible stainless steel 0.4mm blade that provides the most flexible specialist finishing trowel in our range.

GAUGE: 0.4mm
WIDTH: 125mm
BRACKET: Standard

- ◆ Flattening
- ◆ Finishing

SUPERFLEX-2

FIRM  FLEXIBLE

The combination of a 0.4mm blade, longer intermediate plate and 120mm width, provides optimum flexibility whilst retaining stiffness along the length of the trowel.

GAUGE: 0.4mm
WIDTH: 120mm
BRACKET: Long

- ◆ Flattening
- ◆ Finishing

SUPERFLEX-3


FIRM  FLEXIBLE

The perfect all-rounder for multiple stages of plastering. The rose gold stainless steel 0.5mm blade and intermediate plate retains the benefits of the flex design but with additional stiffness.

Ideal when working with finish plasters and throughout the entire plastering process.

GAUGE: 0.5mm
WIDTH: 125mm
BRACKET: Standard

- ◆ Laying on
- ◆ Flattening
- ◆ Finishing



a

b

c



- ◆ Suitable
- ◆ Recommended

KEY BENEFITS

- The 'original' flexible finishing trowel range
- Specially formulated alloy for minimal break-in time
- Rust-free, flexible 0.4mm and 0.5mm gauge stainless steel blades
- Intermediate plate provides rigidity along the length with flexibility across the width
- Lightly radiused corners and finished blade edges to prevent drag
- Soft touch handle for a comfortable secure grip
- Range of blade lengths, widths and stainless steel gauges
- Manufactured in Germany

APPLICATIONS


- Finishing and smoothing surfaces
- Skimming plasters and internal wall finishes
- Smoothing floor levelling compounds

Stainless steel rust-free & durable blade

0.4-0.5mm stainless steel blade variants flexible to firm use

Unique adhesion technique for ultimate durability

Radiused corners & finished blade edges



	Item code	Size	Gauge	Weight
SUPERFLEX-1 Finishing Trowels	228193	300x125mm	0.4mm	0.43kg
	228194	360x125mm	0.4mm	0.56kg a
	228198	450x125mm	0.4mm	0.65kg
SUPERFLEX-2 Finishing Trowels	228222	300x120mm	0.4mm	0.45kg
	228224	360x120mm	0.4mm	0.51kg b
	228228	450x120mm	0.4mm	0.60kg
SUPERFLEX-3 Rose Gold Finishing Trowels	228292	300x125mm	0.5mm	0.48kg
	228294	360x125mm	0.5mm	0.58kg c
	228298	450x125mm	0.5mm	0.65kg

FINATEX® Trowels

REFINA FINATEX trowels maintain a traditional design but are produced without exposed rivets on the working face of the trowel. The FINATEX trowels are produced using premium materials with super flat stainless steel blades and hand finished edges.



FINATEX-1

FIRM  FLEXIBLE

GAUGE: 0.65mm
WIDTH: 120mm

- ◆ Suitable
- ◆ Recommended

KEY BENEFITS

- Stainless steel 0.65mm blade for optimum balance of flex and durability
- High grade stainless steel for durability, wear profile and short break in period
- Soft grip comfort handle

- ◆ Laying on
- ◆ Flattening
- ◆ Finishing

APPLICATIONS


- Plaster, render and cement trade applications
- Applying, smoothing and finishing

Stainless steel rust-free & durable blade

Pre worn base and edge to minimise break in

Perfectly flat blade

a



FINATEX-2 Rose Gold

FIRM  FLEXIBLE

KEY BENEFITS

- Stainless steel 0.5mm blade for a lightweight and flexible feel
- Unique rose gold alloy, formulated for its durability, wear profile and short break in period
- Soft grip comfort handle

APPLICATIONS

- Plaster, render and cement trade applications
- Finishing and smoothing lightweight plasters and compounds

GAUGE: 0.5mm
WIDTH: 125mm

◆ Suitable
◆ Recommended

◆ Flattening
◆ Finishing



pg7

FINATEX MIDGET TROWELS



	Item code	Size	Gauge	Weight	
FINATEX-1 Laying On Trowels	221912	305x120mm	0.65mm	0.46kg	a
	221914	355x120mm	0.65mm	0.51kg	
	221918	450x120mm	0.65mm	0.58kg	
FINATEX-2 Rose Gold Finishing Trowels	221932	305x125mm	0.5mm	0.43kg	
	221934	355x125mm	0.5mm	0.48kg	b
	221938	450x125mm	0.5mm	0.56kg	

Cement & Pool Trowels

KEY BENEFITS


- Premium quality, durable stainless steel trowel blades
- Soft touch composite grip handle
- 0.7mm gauge specially designed alloy for excellent performance
- Unique design improvements on traditional trowel designs
- Range of sizes and blade designs available

APPLICATIONS

- Cement and render installations
- Screed and epoxy projects

Cement Trowels

Available in the traditional 100mm width or a stiffer 80mm width blade option. This narrow shape provides a rigid feel for use on heavier materials such as backing plasters, cements and render.



Pool Trowels

These specialist trowels feature a full radiused nose and heel with a choice of short or long shank, offering two flexibility options.



	Item code	Size	Gauge	
Cement Trowels	221612	300x100mm	0.7mm	
	221614	355x100mm	0.7mm	a
	221618	460x100mm	0.7mm	
Cement Trowels - Narrow	221412	305x80mm	0.7mm	
	221414	350x80mm	0.7mm	b
Pool Trowel - Short Shank	222214	350x100mm	0.7mm	c
Pool Trowel - Long Shank	222418	460x100mm	0.7mm	d

FINATEX® Flex Midget Trowel

REFINA FINATEX flexible midget trowel is designed for applying and finishing tight and awkward areas.

FINATEX midget plastering trowels are produced with a high quality 0.4mm stainless steel blade with a riveted construction. These trowels have been extensively tested to provide the optimum level of flex.

KEY BENEFITS

- Flexible rust-free stainless steel 0.4mm blade
- Radiused corners and finished blade edges
- Set back handle to work in awkward areas
- Standard and wide versions available

APPLICATIONS

- Ideal for plasters and joint compounds
- Perfect for tight spaces around pipes, switches, door frames and window reveals



	Item code	Size	Gauge
FINATEX Midget Trowel	221011	200x80mm	0.4mm

Midget Trowel


This compact trowel is designed for detailed work and awkward areas. Manufactured with a stiff 0.7mm stainless steel blade

KEY BENEFITS

- Rust-free stainless steel trowel blade
- Soft grip composite handle for all day comfort

APPLICATIONS

- Ideal for plaster and cement finishes
- Working in tight spaces around pipes, switches, door frames
- Perfect for window reveals



Fit into the PLAZIFLEX blades (page 8)



PLAZIFLEX BLADES

pg 8

	Item code	Size	Gauge
Midget Trowel	221022	200x70mm	0.7mm

PLAZIFLEX® FLEXIBACK® Trowels

REFINA PLAZIFLEX® trowels are designed with a premium plastic blade and 1mm FLEXIBACK® foam layer which gives a supportive, flexible working technique that results in an exceptionally smooth and flat finished wall or ceiling.

The FLEXIBACK® design provides flexibility across the blade width but maintains rigidity along the length making it a perfect trowel for curves and swoops. The innovative lightweight plastic blade also helps to reduce day to day working fatigue and aids the relief of common elbow and shoulder joint pain.

A two-component design incorporates a detachable REFINA premium midget trowel with soft grip handle which slots securely into the PLAZIFLEX® trowel blade.

REFINA PLAZIFLEX® blades provide less drag than traditional steel trowels allowing you to work with plaster earlier and finish sets sooner with less water. It's also a great final finishing trowel that, when paired with a REFINA water brush, can be used to remove any imperfections of a wall and even rejuvenate surfaces that require minor trowelling correction.



FLEXIBACK profile



KEY BENEFITS

- Innovative flexible plastic blade design with foam back
- Lightweight to use
- Provides an excellent finish on plasters and compounds
- Flexible blade suitable for curved surfaces
- Reduces fatigue
- Interchangeable blades using the REFINA premium midget trowel

APPLICATIONS

- Finishing and polishing of walls and ceilings
- Ideal final pass for plasters
- Perfect for use on curves and swoops



REFINA midget trowel slots into PLAZIFLEX® blade

Supplied with edge protectors



Lightweight - easy on your arms

MIDGET TROWEL pg7

	Item code	Size	Thickness	Weight
PLAZIFLEX FLEXIBACK Trowels	228172	300x140mm	1mm	0.45kg
	228174	350x140mm	1mm	0.51kg a
PLAZIFLEX FLEXIBACK Blades	228173	300x140mm	1mm	0.16kg
	228175	350x140mm	1mm	0.18kg b

ABS Texture Floats

The REFINA texture floats featuring 2mm or 3mm ABS plastic blades are suitable for 1-4mm aggregate sizes and help to achieve a professional finish. These texture floats are ideal for finishing silicone thin coat render.

KEY BENEFITS

- 2mm and 3mm gauge ABS plastic blades
- Textured face for even distribution of aggregate across the surface
- Bevelled edges to minimise drag lines
- Comfortable soft grip handle

APPLICATIONS

- Acrylic and thin coat silicone renders
- Delicate white cements
- Special finishes on render



	Item code	Size	Gauge	Grain size	
Texture Floats - ABS	231816	280x140mm	3mm	1-2mm	a
	231812	280x140mm	3mm	2-3mm	b
	231802	280x140mm	2mm	3-4mm	c
Texture Float - Clear ABS	231817	280x140mm	3mm		d

PVC Trowels

REFINA plastic trowels with 2mm or 3mm chemical resistant PVC blades are ideal for working with render materials.

KEY BENEFITS

- Hard wearing 2mm and 3mm gauge PVC blades
- Square corners and bevelled edges to reduce drag lines
- Chemical resistant to reduce wear and tear

APPLICATIONS

- Acrylic and thin coat silicone renders
- Delicate white cements
- Special finishes on render



	Item code	Size	Gauge	
PVC Trowels - Solvent Resistant	269513	280x140mm	2mm	
	269511	280x140mm	3mm	a

PU Plastic Floats & Darbies

Polyurethane plastic floats are essential for a variety of render and floor installations. These floats have a high quality cross grain face that helps to compact, flatten and smooth sand and cement installations, screeds and render systems.

KEY BENEFITS

- Available in a range of shapes and sizes
- High quality, long-lasting PU plastic construction
- Super lightweight PU plastic floats

APPLICATIONS

- Floating sand and cement renders
- Floating screed installations




a

Wide German style



c

Lightweight PU plastic



b

Trapezoid shape

	Item code	Size	Face
PU Plastic Floats	231915	280x140mm	Cross grain
	231913	320x180mm	Cross grain
	231914	360x200mm	Cross grain
PU Plastic Float - Trapezoid	231940	260x80mm	Cross grain
PU Plastic Darby Float	231910	600x120mm	Cross grain

a

b

c

Diamond Faced ABS Plastic Floats

Highly durable ABS floats with diamond indented face designed to float up backing coat plasters and OCR render systems.

FEATURES

- High quality diamond face indented pattern
- Hard wearing ABS plastic
- Chunky overgrip handle

APPLICATIONS

- Backing coat plasters
- OCR render systems

b

Diamond indented pattern



a



Chunky overgrip handle



c

	Item code	Size	Face
Diamond Faced ABS Floats	662210	270x180mm	Diamond
	662216	420x260mm	Diamond
	662217	440x140mm	Diamond

a

b

c



Natural Rubber Sponge Floats

REFINA high quality natural orange rubber sponge floats for use on cement render to rejuvenate the surface and reduce air bubbles.

KEY BENEFITS

- High quality rubber sponge material
- Coarse, medium and fine sponge types available to achieve different surface textures

APPLICATIONS

- Smoothing plaster, render and cement surfaces
- Opens the surface before final finishing
- Helps to remove surface marks
- Reduces air pockets on the surface



a

ABSORPTION



RELEASE




RETENTION



b



Premium soft grip handle



	Item code	Size	Depth	Grain	Colour	
Rubber Sponge Floats	228724	280x140mm	20mm	Fine	Orange	a
	228726	280x140mm	20mm	Medium	Orange	b
	228728	280x140mm	20mm	Coarse	Orange	

Cellular Sponge Floats

REFINA premium cellular sponge floats are exceptional for cleaning joints after grouting, and floating render materials. These high absorbency sponges make for easy wash out when material builds up during use.

The square cut faced sponges have increased surface area to improve absorbency when cleaning off grout residue and prolong the working time between rinses.

KEY BENEFITS

- High absorption sponges
- Open and square cut sponge float options available

APPLICATIONS

- Cleaning joints after grouting
- Floating render materials



ABSORPTION
RELEASE
RETENTION

a

Open & square cut sponge available



ABSORPTION
RELEASE
RETENTION

b

High absorbency



ABSORPTION
RELEASE
RETENTION

c



	Item code	Size	Depth	Grain	Colour	
	228734	280x140mm	30mm	Hydro open	Yellow	a
	228746	280x140mm	25mm	Cellulose	Yellow	b
	228736	280x140mm	30mm	Porous	Tan	c

Abrasive Sponge Floats

REFINA range of abrasive sponge floats are for removing excess and emulsifying grout.

Premium handled pink abrasive sponge float for large areas.

Float and emulsifying two pad kit includes a black pad for cleaning and a white pad for polishing.

KEY BENEFITS

- Range of different pads to suit application

APPLICATIONS

- Removing excess grout
- Emulsifying epoxy grouts



	Item code	Size	Depth	Grain	Colour	
Abrasive Sponge Float	228722	280x140mm	20mm	Coarse	Pink	a
Float & Emulsifying Pad Kit (2)	228750	250x120mm	20mm	Fine/coarse abrasive	White/black	b
Replacement Emulsifying Pad Set (2)	228751	250x120mm	20mm	Fine/coarse abrasive	White/black	c

Wash Bucket

The quick and easy way to keep your sponge floats clean. Featuring click-in rollers that easily wring out excess liquid and the separation grid which allows the excess material and sediment to sink to the bottom, ensuring the sponges are rinsed in clean water.

KEY BENEFITS

- Quick and easy method of rinsing sponge floats
- Separation grid to segregate clean water from sediment

APPLICATIONS

- Washing and rinsing sponge floats



	Item code	Size	Capacity
Triple Roller Wash Bucket	328517	550x265x250mm	20L



KEY BENEFITS

- High quality water brushes
- Excellent water retention
- Waxed hardwood octagonal handle
- Adjustable bucket clip
- Long lasting
- Available in 100mm, 140mm and 177mm

APPLICATIONS

- Ideal for wetting down surfaces to slow the pulling in of material
- Perfect for pre-wetting a trowel before using on plaster or render
- Great for applying coatings and paints to surfaces

EVO™ Bristle Water Brushes

Premium water brushes that outperform the budget competition with increased durability, long-lasting water retention and comfort for all day use.

The EVO™ premium water brushes are ideal for wetting down the working surface or trowel. The bristles are securely fitted to a traditional style octagonal handle and stainless steel ferrule that results in an incredibly long lasting water brush. A handy adjustable bucket clip is fixed between the handle and the brush.



	Item code	Size	
Water Brushes - EVO Bristle	610340	100mm	a
	610355	140mm	
	610370	177mm	

X-RAY Buckets & Tubs

REFINA X-RAY buckets and tubs are produced with high quality, semi-flexible low density PE that is crack resistant. The heavy duty construction makes these tubs exceptionally durable. They are suitable for use in food environments and working temperatures from -10°C to 80°C.

KEY BENEFITS

- Heavy duty mixing tubs and buckets ideal for heavier, low viscosity materials
- Semi-flexible X-RAY plastic to minimise risk of cracking
- Virgin plastic available for uncompromised strength and suitable for food handling
- Temperature range: -10°C to 80°C
- Available in a range of sizes

X-RAY Gauging Buckets

Specially designed to minimise the risk of cracking common with other buckets, REFINA gauging buckets include a moulded internal measuring gauge on the side wall, easy-pour spout and rust-resistant handle with finger grips.

APPLICATIONS

- Gauging water and add-mixes



X-RAY Three Handle Tubs

High quality, thick walled, food grade plastic tubs with wide bases suitable for mixing low viscosity materials. Constructed with two side handles and a longer centre handle which helps to lever the bucket for easy pouring, making it ideal for small screed sections, cements and more.

APPLICATIONS

- Ideal for mixing plasters, renders, cements and more
- Suitable for mixing epoxies and other flowable materials
- Food safe buckets suitable for mixing foods and liquids

Temperature range: -10°C to 80°C



	Item code	Width	Height	Capacity	
X-RAY Gauging Buckets	321072	310mm	270mm	12L	a
	321078	345mm	320mm	18L	b
X-RAY Three Handle Tubs	321060	450mm	340mm	32L	
	321062	550mm	410mm	60L	c

Multicoat™ Coating Roller

The coating roller is ideal for applying airless plasters, jointing compounds, external coatings and creating textures in materials.

High load capacity 18mm nylon pile roller to maximise efficiency; the hard-wearing fibres are long lasting and easy to clean.

KEY BENEFITS

- Durable, easy to clean fibres
- Up to 3x faster than hand application
- Gives even distribution of material without spatter

APPLICATIONS

- Joint compounds and synthetic plasters
- Leaving a stipple effect in coatings
- Applying adhesives and primers



	Item code	Size	Frame needed
Multicoat Coating Roller	607134	230mm	608009

Single Arm Taper Bar Roller Frame

The single arm roller frame is lightweight to use and suitable for rollers up to 250mm.

The 8mm tapered bar creates a secure fitting and easy to change connection with push fitting rollers.

KEY BENEFITS

- Lightweight with ergonomic handle design
- 8mm tapered bar

Tapered 8mm bar



	Item code	Size	Bar Ø
Roller Frame - Tapered	608009	230mm	8mm taper end



Scratch Floats

REFINA sharp and twist toothed scratch floats can be used for scraping back renders to leave a premium decorative finish. Designed with a comfort grip handle and fitted with stainless steel prongs, these render scrapers are available in different tooth shapes to provide the desired finish suitable for the application material.

Sharp toothed render scrapers offer progressive surface removal that allows for a more accurate finish without the risk of removing too much material during the rendering process.

Twisted toothed render scrapers offer aggressive surface removal that allows for scratching back harder set materials in a single pass during the final stages of a monocouche render system install.

KEY BENEFITS

- High quality render scrapers that leave a decorative finish
- Comfort plastic grip
- Stainless steel prongs

APPLICATIONS

- Progressive or aggressive surface removal of monocouche render systems
- Removes surfaces laitance



8mm sharp tooth



8mm twist tooth

	Item code	Teeth	Size	Spikes	
Scratch Floats	281310	Sharp	249x145mm	8mm	a
	281314	Twist	250x145mm	8mm	b

Board Rasps

KEY BENEFITS

- Large format board rasps
- High quality cheese grater style
- Perforations prevent material build up
- Fast coverage
- Ergonomic handle grips

APPLICATIONS

- Sanding external wall insulation boards
- Shaving coatings



Metal Rasp

REFINA's grater style faced rasps are high quality large format rasps for sanding down external wall insulation boards.


The perforations prevent blocking up whilst rasping.



Low Drag Rasp

This fast and efficient hand tool helps to achieve an ultra flat finish when working with external wall insulation boards.

The extra large perforations allow for more pressure to be applied while sanding back boards and prevents sticking.



	Item code	Size	
Metal Rasp	243444	400x180mm	a
Low Drag Rasp	243441	360x160mm	b

Angle & Serrated Planes

REFINA's heavy duty all metal angle block planes are ideal for removing high spots on rendered surfaces and creating keys in blockwork.


Thanks to their large format face and durable scraping teeth, angle block planes are a fast and efficient way to finish rendered surfaces and create professional results during the preparation stages.

KEY BENEFITS

- Heavy duty metal construction
- Comfortable handle grips
- Coated for rust resistance

APPLICATIONS

- Angle planes are ideal for reducing high spots on external render
- Achieving a flat and level surface
- Perfect for window reveals and above doorways
- Easily create surface keys into blockwork



	Item code	Size	
Angle Plane	201110	450x90mm	a
Serrated Plane	243428	450x85mm	b

Notched Spatula-Rules

Lightweight roll grip spatula-rules with replaceable stainless steel blades. Square notch and triangular notch blades available.

KEY BENEFITS

- Rigid roll grip frame spatula-rule
- Replaceable notched and serrated stainless steel blades

APPLICATIONS

- Spreading and levelling
- Adhesives and mortars
- Floor, wall and ceiling installations

Serrated & Notched Tools

A range of premium stainless steel notched and serrated spatulas and trowels for keying, smoothing, scraping and evenly distributing materials



	Item code	Size	Notch shape	Notch depth	
Notched Spatula-Rules	228282	300mm	C4	8.0mm	
	228284	300mm	S3	1.5mm	a
	228286	650mm	C4	8.0mm	b
	228288	650mm	S3	1.5mm	
Replacement Notched Stainless Steel Blades	201740C4	300mm	C4	8.0mm	c
	201740S3	300mm	S3	1.5mm	
	201765C4	650mm	C4	8.0mm	
	201765S3	650mm	S3	1.5mm	

Serrated Spatula


The lightweight aluminium framed serrated spatula has a soft grip handle and features a 6x6mm square notched blade. It is used to evenly distribute material and remove air pockets from top coat monocouche renders.

KEY BENEFITS

- Stainless steel 0.5mm gauge blade
- Lightweight frame

APPLICATIONS

- Flattening and levelling materials
- Removing air pockets from surfaces
- Levelling monocouche and knocking back textured topcoat renders



	Item code	Size	Notch shape	Notch depth	Gauge
Serrated Spatula	228000	465mm	C2	6.0mm	0.5mm

Comb Scarifier

The REFINA comb scarifier is a lightweight hand tool that's ideal for scoring base coats and backing plasters. Featuring semi-flexible stainless steel prongs that can be dragged along backing coats to provide an effective key.

KEY BENEFITS

- Stainless steel, semi-flexible tines
- Lightweight aluminium bracket
- Soft grip handle

APPLICATIONS

- Keying backing coats



	Item code	Size	Prongs
Comb Scarifier	228240	290mm	90mm

NotchTile™ Adhesive Spreading Trowels

Ken Hudson of HUDS Tiling Services came to REFINA to discuss a new way in which he believed he could improve the tiling application process through various theories and modifications of existing trowels already on the market.

REFINA accepted the challenge and after much discussion and intensive testing, the NotchTile™ was created – a premium, revolutionary tiling trowel designed for professionals by professionals, that is comfortable to handle and is suitable for all sizes and designs of tiles and slabs.

HUDS by REFINA NotchTile™ trowels are coated in a high quality coating that ensures the trowel is easy to clean, prolonging the lifetime of the tool.

Manufactured in two trowel lengths, left and right handed designs, and three colour variations which depict the notch size. The NotchTile™ trowel features a distinctive laser cut two-step H45 notch pattern that is specifically designed to undercut adhesives and allow ridges to collapse with less pressure and give maximum coverage.

This collaboration is the latest edition to the HUDS by REFINA range, the NotchTile™ is sure to get the tiling industry talking.




The next generation of adhesive spreading notch tiling trowels

KEY BENEFITS

- Durable fully riveted construction
- Easy clean NotchTile™ coloured blade coating
- Three colour variations to identify the size of the notches
- Unique H45 notch pattern designed to undercut adhesives and allow ridges to collapse easier
- Left and right handed versions


APPLICATIONS

- Range of notch sizes to suit different applications
- Evenly distributing materials such as adhesives
- Removing air pockets from backing materials






Graphite - 10mm notch



Gold - 12mm notch



Gold - 12mm notch

Left handed notches

e

	Item code	Size	Notched depth	Colour	
NOTCHTILE Trowel Right Handed	2022806R	280x115mm	6mm	Copper	a
	2023606R	360x120mm	6mm	Copper	b
	2022810R	280x115mm	10mm	Graphite	c
	2023610R	360x120mm	10mm	Graphite	
	2022812R	280x115mm	12mm	Gold	d
	2023612R	360x120mm	12mm	Gold	
NOTCHTILE Trowel Left Handed	2022806L	280x115mm	6mm	Copper	
	2023606L	360x120mm	6mm	Copper	
	2022810L	280x115mm	10mm	Graphite	
	2023610L	360x120mm	10mm	Graphite	
	2022812L	280x115mm	12mm	Gold	e
	2023612L	360x120mm	12mm	Gold	

Straight Edges & Levels

We offer an extensive range of specialist aluminium straight edge profiles to suit a wide variety of applications and preferences.

All of our aluminium profiles are precision engineered for straightness and finished for burr-free, clean edges.

KEY BENEFITS

- Lightweight, high quality aluminium
- Built to last using specialist durable aluminium
- Available in a range of profiles and section lengths

Serrated H Section Feather Edges

REFINA serrated edges are exceptionally useful to level newly applied render; helping to remove air pockets and identify high and low spots without bringing unwanted laitance to the surface.

APPLICATIONS

- Distributing base and top coat materials evenly
- Excellent for removing air pockets
- Embedding anti-crack mesh

H section

Serrated

a

H Section Feather Edges

H section profiled feather edges offer an enhanced grip over traditional feather edges and allow for hands and knuckles to be tucked away. Ideal for levelling sand and cement renders and backing coats.

APPLICATIONS

- Ideal for levelling and flattening base and top coats
- Identifying high and low spots

H section

REFINA

b



	Item code	Length	Profile
Serrated Feather Edges	252410	1.00m	113x26mm
	252415	1.50m	113x26mm
	252420	2.00m	113x26mm
H Section Feather Edges	252610	1.00m	113x26mm
	252615	1.50m	113x26mm
	252620	2.00m	113x26mm

a

b

I Section Scrapers

REFINA I beams are designed for effectively scraping back and levelling render to leave a decorative finish. The large format profiles allow for a more efficient work rate than traditional scratch floats.

These premium scrapers are finished with a non-marking coating to prevent any residue on finished surfaces.

APPLICATIONS

- Scraping back materials such as monocouche, polymer and other through-colour render
- Identifying high and low spots

I section

Trapezoid Feather Edges

REFINA trapezoid profiles are long length, lightweight aluminium profiles that are perfect for sweeping across surfaces to identify high and low spots and rule off walls to ensure a professionally flat finish.

APPLICATIONS

- Ruling off plasters and renders
- Identifying high and low spots
- Tamping screed installations

Trapezoid

Finger groove

Box Rule Levels

REFINA box rule levels are layout hand tools that feature two handle grips and two spirit level vials. These box levels are excellent for levelling out fluid flooring materials, as well as working on large format patio tiles and checking vertical edges.

KEY BENEFITS

- Two comfort grip handles
- Horizontal and vertical spirit level vials

APPLICATIONS

- Ideal for checking levels on plaster and render installations
- Identifying high and low spots on surfaces
- Use on screed floor installations
- Checking tile and floor covering levels
- Aligning plaster and cement boards

Horizontal vial

Comfort grip handles

Vertical vial

BOX RULE LEVEL 1.50m


	Item code	Length	Profile
I Section Scrapers	256110	1.00m	75x30mm
	256115	1.50m	75x30mm
	256120	2.00m	75x30mm
Trapezoid Feather Edges	253210	1.00m	97x17mm
	253215	1.50m	97x17mm
	253220	2.00m	97x17mm
	253225	2.50m	97x17mm
Aluminium Box Rule Levels	252717	1.75m	100x18mm
	252720	2.00m	100x18mm
	252725	2.50m	100x18mm
	252730	3.00m	100x18mm

Trowel Holders

REFINA trowel holders are specifically designed to protect trowel blades from unwanted damage, nicks and scratches.


KEY BENEFIT

- Professional quality trowel protection against nicks and scratches
- High quality poppers for flap closure
- Helps to safety transport trowels



Single Trowel Holders

Single trowel holders fit individual trowels to keep them safe and protected. High quality canvas trowel wallets feature popper fasteners and reinforced stitching making them ideal for protecting premium trowels.



WRAP 'N' ROLL Multi-Trowel Holder

The WRAP 'N' ROLL multi-trowel holder is designed to allow safe transportation of up to three trowels. There are also four divider pockets for storing smaller items.

Featuring durable buckle fastenings and a hard-wearing canvas construction, the WRAP 'N' ROLL can accommodate FINATEX, SUPERFLEX and PLAZIFLEX trowels up to 18" (460mm) and is equipped with corner eyelets for wall hanging.



	Item code	Size	
Canvas Trowel Holders	630024	380x165mm	a
	630028	470x165mm	b
WRAP 'N' ROLL Multi-Trowel Holders	630036	440x790mm	c
	630038	490x790mm	d

A	<u>Page</u>	N	<u>Page</u>
Abrasive Sponge Floats	14	Natural Rubber Sponge Floats	12
ABS Texture Floats	10	Notched Spatula-Rules	22
Angle & Serrated Planes	21	NotchTile™ Adhesive Spreading Trowels	24
B	<u>Page</u>	P	<u>Page</u>
Board Rasps	20	Plaster, Render & Cement Trowels	2 - 7
Box Rule Levels	27	PLAZIFLEX® FLEXIBACK® Trowels	8
C	<u>Page</u>	Pool Trowels	6
Cellular Sponge Floats	13	PU Plastic Floats & Darbies	11
Cement & Pool Trowels	6	PVC Trowels	10
Cement Trowels	6	S	<u>Page</u>
Comb Scarifier	23	Scratch Floats	19
D	<u>Page</u>	Serrated H Section Feather Edges	26
Diamond Faced ABS Plastic Floats	11	Serrated Spatula	23
E	<u>Page</u>	Single Arm Taper Bar Roller Frame	18
EVO™ Bristle Water Brushes	16	Single Trowel Holders	28
F	<u>Page</u>	Straight Edges & Levels	26
FINATEX® Flex Midget Trowel	7	SUPERFLEX-1	2
FINATEX® Trowels	4	SUPERFLEX-2	2
FINATEX-1	4	SUPERFLEX-3	2
FINATEX-2 Rose Gold	5	T	<u>Page</u>
H	<u>Page</u>	Trapezoid Feather Edges	27
H Section Feather Edges	26	Trowels Holders	28
I	<u>Page</u>	W	<u>Page</u>
I Section Scrapers	27	Wash Bucket	15
L	<u>Page</u>	WRAP 'N' ROLL Multi-Trowel Holder	28
Low Drag Rasp	20	X	<u>Page</u>
M	<u>Page</u>	X-RAY Buckets & Tubs	17
Metal Rasp	20	X-RAY Gauging Buckets	17
Midget Trowel	7	X-RAY Three Handle Tubs	17
Multicoat™ Coating Roller	18		

REFINA thank the following people/ companies for their contribution of images featured in this catalogue

- Ken Hudson from Huds Tiling Services
- Matt Jordan from MJ Plastering
- Alex Morley from Alex Morley Plastering
- Joe McCartney from Mac Plastering
- Dave Piddlesden from DP Plastering & Rendering

REFINA

Distributed by WALLBOARD TOOLS
Gold Coast | Sydney | Melbourne | Perth
www.refina.au | australia@refina-tools.com | 1300 653 177

