



# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 08.09.2014

Revision: 08.09.2014

## 1 . IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

**Product Name:** NO-COAT® STRUCTURAL LAMINATE DRYWALL CORNERS

**Other Name:**

LEVELLINE® DRYWALL CORNER TRIM

AUTOFLEX® DRYWALL CORNER TRIM

HYDROTRIM® WATER-ACTIVATED DRYWALL CORNER TRIM

**Recommended Use of the Chemical and Restriction on Use:**

Rolls or sheet of various size, colour and thickness with various coating, inks, dyes, fillers, etc. Composed of bleached wood fibers, (both softwood and hardwood mixed) which provide properties as required by customer.

**Details of Manufacturer or Importer:**

Wallboard Tool Co. Pty Ltd

30 Leda Drive

Burleigh QLD 4220

**Phone Number:**

07 5535 7655

1300 653 177

**Emergency telephone number:** National Poison Information Centre: 13 11 26

## 2 . HAZARDS IDENTIFICATION

**Hazardous Nature:** The product is not classified as hazardous according to the Globally Harmonized System (GHS).

**Label Elements**

**Signal Word** Void

**Hazard Statements** Void

## 3 . COMPOSITION AND INFORMATION ON INGREDIENTS

**Chemical Characterization:** Mixtures

**Description:** No reportable hazardous substances or complex substances.

**Hazardous Components:** Void

## 4 . FIRST AID MEASURES

**Inhalation:** If inhaled, remove to fresh air.

**Skin Contact:**

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

**Eye Contact:**

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

**Ingestion:** Seek medical attention.

## 5 . FIRE FIGHTING MEASURES

**Suitable Extinguishing Media:** Water spray, carbon dioxide and foam.

**Specific Hazards Arising from the Chemical:**

(Contd. on page 2)



# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 08.09.2014

Revision: 08.09.2014

**Product Name: NO-COAT® STRUCTURAL LAMINATE DRYWALL CORNERS**

(Contd. of page 1)

Paper does not present a fire and explosion hazard.

Cutting or machining of the product could result in the creation of paper dust fiber. Paper dust fiber may present a strong to severe explosion hazard if a dust cloud contacts an ignition source. Lower explosion limit for wood dust is 40 g/m<sup>3</sup>. Paper dust fiber would exhibit similar properties.

**Special Protective Equipment and Precautions for Fire Fighters:**

Wear Safe Work Australia approved self-contained breathing apparatus and full protective clothing.

**6 . ACCIDENTAL RELEASE MEASURES****Personal Precautions, Protective Equipment and Emergency Procedures:**

Wear Safe Work Australia approved full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation to reduce the possible build-up of paper dust fibers in areas where cutting or machining steps are being performed. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

**Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

**Methods and Materials for Containment and Cleaning Up:**

Pick up mechanically. Avoid generating dust. Provide adequate ventilation.

**7 . HANDLING AND STORAGE****Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Ensure adequate ventilation.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

**Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Reduce the possible build-up of paper dust fibers. Protect from heat, sparks, open flames and other sources of ignition. Keep away from oxidising agents and strong acids.

**8 . EXPOSURE CONTROLS AND PERSONAL PROTECTION****Exposure Standards:**

Paper dust fiber:

5 mg/m<sup>3</sup> – PEL - OSHA

5mg/m<sup>3</sup> – TLV - ACGIH

**Engineering Controls:**

Provide local exhaust ventilation necessary to remove dust in cutting and machining processes.

Provide mechanical ventilation to assure that paper dust fiber levels are below OSHA PEL.

**Personal Protective Equipment (PPE):****Respiratory Protection:**

Not required for normal use of the product in normally shipped form.

Use a Safe Work Australia approved particulate respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of dust generated from cutting and machining processes, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

**Skin Protection:**

Leather/pigskin, neoprene or nitrile gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting hand protection, the product should comply with relevant performance criteria. For example,

(Contd. on page 3)



# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 08.09.2014

Revision: 08.09.2014

**Product Name: NO-COAT® STRUCTURAL LAMINATE DRYWALL CORNERS**

(Contd. of page 2)

gloves should meet a suitable level of abrasion resistance to provide protection against hazards of a workplace.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

**Eye and Face Protection:**

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

## 9 . PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:****Form:**

Manufactured article - Rolls or sheet of various size and thickness with various coating, inks, dyes, fillers, etc., composed of bleached wood fibers, (both softwood and hardwood mixed)

**Colour:**

White to off white

**Odour:**

Odourless

**Odour Threshold:**

Not applicable

**pH-Value:**

Not applicable

**Melting point/Melting range:**

Not applicable

**Initial Boiling Point/Boiling Range:**

Not applicable

**Flash Point:**

Not applicable

**Flammability:**

Non flammable

**Auto-ignition Temperature:****Decomposition Temperature:**

204-260 °C

**Explosion Limits:****Lower:**

Not applicable

**Upper:**

Not applicable

**Vapour Pressure:**

Not applicable.

**Density:****Relative Density:**

No information available

**Vapour Density:**

Not applicable.

**Evaporation Rate:**

Not applicable

**Solubility in Water:**

Insoluble

**Partition Coefficient (n-octanol/water):** Not determined.

## 10 . STABILITY AND REACTIVITY

**Possibility of Hazardous Reactions:** Hazardous polymerisation will not occur.

**Chemical Stability:** Stable at ambient temperature and under normal conditions of use.

**Conditions to Avoid:** Heat, sparks, open flames and other sources of ignition.

**Incompatible Materials:** Oxidising agents and strong acids.

**Hazardous Decomposition Products:**

Thermal and/or thermal-oxidative decomposition can produce irritating carbon monoxide, aldehydes and organic acids.

(Contd. on page 4)



# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 08.09.2014

Revision: 08.09.2014

**Product Name: NO-COAT® STRUCTURAL LAMINATE DRYWALL CORNERS**

(Contd. of page 3)

## 11 . TOXICOLOGICAL INFORMATION

**Toxicity:****Acute Health Effects****Inhalation:**

Excessive concentration of dust may cause respiratory irritation, deposit of dust in nasal passages resulting in dry cough, wheezing, and sinusitis.

**Skin:** No adverse health effects expected.

**Eye:** Dust may be a mechanical irritant to eyes

**Ingestion:** Ingestion is not considered a potential route of exposure.

**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.

**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.

**Respiratory or Skin Sensitisation:** No sensitising effects known.

**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.

**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.

**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT) - Repeated Exposure:**

Based on classification principles, the classification criteria are not met.

**Aspiration Hazard:** No information available

**Chronic Health Effects:** No information available

**Additional toxicological information:**

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

## 12 . ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available

**Aquatic toxicity:** No information available

**Persistence and Degradability:** No information available

**Bioaccumulative Potential:** No information available

## 13 . DISPOSAL CONSIDERATIONS

**Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.

**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

## 14 . TRANSPORT INFORMATION

**UN Number** Not regulated

**Proper Shipping Name** Not regulated

**Dangerous Goods Class** Not regulated

(Contd. on page 5)



# SAFETY DATA SHEET

According to Safe Work Australia

Printing date 08.09.2014

Revision: 08.09.2014

**Product Name: NO-COAT® STRUCTURAL LAMINATE DRYWALL CORNERS**

(Contd. of page 4)

**Packing Group:** Not regulated**Marine pollutant:** No**15 . REGULATORY INFORMATION****16 . OTHER INFORMATION****Creation Date:** 08.09.2014**Prepared by:** MSDS.COM.AU Pty Ltd[www.msds.com.au](http://www.msds.com.au)**Abbreviations and acronyms:**

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

**Disclaimer**

This MSDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011"

The information contained in this material safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Wallboard Tool Co. Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.